


To love beauty is to see light


Victor Hugo

C1 Indoor/Ceiling




Ind.C1.0

Mounting: **Ceiling**
 Lamp: **Gu10 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x120x100mm**
 IP rating: **20**
 Through wiring: **Yes**



Ind.C1.1

Mounting: **Ceiling**
 Lamp: **Gu10 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x160x100mm**
 IP rating: **20**
 Through wiring: **Yes**



Ind.C1.2

Mounting: **Ceiling**
 Lamp: **Gu10 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Adjustable 30°**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x120x100mm**
 IP rating: **20**
 Through wiring: **Yes**




Available in these colors

Black, glossy/matt 9005GL / 9005HR 
 White, glossy/matt 9016GL / 9016HR 
 Grey 9006 
 Orange 2004HR 
 Purple 4008HR 
 Base 1001HR 
 Red 3000HR 
 Bronze 8102 
 Light blue 6034 
 Green 6018HR 

Special colors on request



C11 Indoor/Ceiling



Ind.C11.0


Mounting: **Ceiling**
 Lamp: **2xGu10 max 50w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Adjustable 30°**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **200x120x100mm**
 IP rating: **20**
 Through wiring: **Yes**




Available in these colors

Black, glossy/matt 9005GL / 9005HR 
 White, glossy/matt 9016GL / 9016HR 
 Grey 9006 
 Orange 2004HR 
 Purple 4008HR 
 Base 1001HR 
 Red 3000HR 
 Bronze 8102 
 Light blue 6034 
 Green 6018HR 

Special colors on request




C2 Indoor/Ceiling



Ind.C2.0

Mounting: **Ceiling**
 Lamp: **Gu10 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x120mm**
 IP rating: **20**
 Through wiring: **Yes**



Ind.C2.1


Mounting: **Ceiling**
 Lamp: **Gu10 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x160mm**
 IP rating: **20**
 Through wiring: **Yes**




Available in these colors

- Black, glossy/matt
9005GL / 9005HR
- White, glossy/matt
9016GL / 9016HR
- Grey
9006
- Orange
2004HR
- Purple
4008HR
- Base
1001HR
- Red
3000HR
- Bronze
8102
- Light blue
6034
- Green
6018HR

Special colors on request




W1 Indoor/Wall




Ind.W1.0

Mounting: **Wall**
 Lamp: **G9 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x100x100mm**
 IP rating: **20**
 Through wiring: **No**



Ind.W1.1

Mounting: **Wall**
 Lamp: **G9 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x100x160mm**
 IP rating: **20**
 Through wiring: **No**



Ind.W1.2

Mounting: **Wall**
 Lamp: **2xG9 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **200x100x100mm**
 IP rating: **20**
 Through wiring: **No**




Available in these colors



Special colors on request




W2 Indoor/Wall



Ind.W2.0

Mounting: **Wall**
 Lamp: **G9 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x120mm**
 IP rating: **20**
 Through wiring: **No**



Ind.W2.1


Mounting: **Wall**
 Lamp: **G9 max 75w**
 Volt: **220-240va**
 Environment: **Indoor**
 Cover: **No**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **100x160mm**
 IP rating: **20**
 Through wiring: **No**



Available in these colors




Special colors on request






W1

Outdoor/Wall




Out.W1.0

Mounting: **Wall**
Lamp: **18w PL-C 2p**
Ballast: **EVG**
Volt: **220-240va**
Environment: **Outdoor**
Cover: **Opal (010) plexiglass**
Aiming: **Fixed**
Distribution: **Simmetric**
Material: **Aluminum**
Dimensions: **200x80x80mm**
IP rating: **54**
Through wiring: **Yes**



Out.W1.1

Mounting: **Wall**
Lamp: **26w PL-C 2p**
Ballast: **EVG**
Volt: **220-240va**
Environment: **Outdoor**
Cover: **Opal (010) plexiglass**
Aiming: **Fixed**
Distribution: **Simmetric**
Material: **Aluminum**
Dimensions: **300x80x80mm**
IP rating: **54**
Through wiring: **Yes**



Out.W1.2


Mounting: **Wall**
Lamp: **14w T5**
Ballast: **Electronic**
Volt: **220-240va**
Environment: **Outdoor**
Cover: **Opal (010) plexiglass**
Aiming: **Fixed**
Distribution: **Simmetric**
Material: **Aluminum**
Dimensions: **600x80x80mm**
IP rating: **54**
Through wiring: **Yes**



Available in these colors



W2 Outdoor/Wall




Out.W2.0


Mounting: **Wall**
Lamp: **10w PL-C 2p**
Ballast: **EVG**
Volt: **220-240va**
Environment: **Outdoor**
Cover: **Clear plexiglass**
Aiming: **Fixed**
Distribution: **Simmetric**
Material: **Aluminum**
Dimensions: **120x120x180mm**
IP rating: **54**
Through wiring: **Yes**



Available in these colors




F1 Outdoor/Floor




Outd.F1.0

Mounting: **Surface**
 Lamp: **10/13w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Direct**
 Material: **Aluminum**
 Dimensions: **100x100x350mm**
 IP rating: **54**
 Through wiring: **Yes**



Outd.F1.1

Mounting: **Surface**
 Lamp: **10/13w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Direct**
 Material: **Aluminum**
 Dimensions: **100x100x500mm**
 IP rating: **54**
 Through wiring: **Yes**



Outd.F1.2


Mounting: **Surface**
 Lamp: **18w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Direct**
 Material: **Aluminum**
 Dimensions: **100x100x710mm**
 IP rating: **54**
 Through wiring: **Yes**



Available in these colors




F2 Outdoor/Floor




Outd.F1.0

Mounting: **Surface**
 Lamp: **18w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Indirect**
 Material: **Aluminum**
 Dimensions: **80x80x510mm**
 IP rating: **54**
 Through wiring: **Yes**



Outd.F1.1

Mounting: **Surface**
 Lamp: **18w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Indirect**
 Material: **Aluminum**
 Dimensions: **80x80x780mm**
 IP rating: **54**
 Through wiring: **Yes**



Outd.F1.2


Mounting: **Surface**
 Lamp: **18w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Indirect**
 Material: **Aluminum**
 Dimensions: **80x80x1500mm**
 IP rating: **54**
 Through wiring: **Yes**



Available in these colors




C1 Outdoor/Ceiling




Out.C1.0

Mounting: **Ceiling**
 Lamp: **18w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **200x80x80mm**
 IP rating: **54**
 Through wiring: **Yes**



Out.C1.1

Mounting: **Ceiling**
 Lamp: **26w PL-C 2p**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **300x80x80mm**
 IP rating: **54**
 Through wiring: **Yes**




Out.C1.2

Mounting: **Ceiling**
 Lamp: **14/24w T5**
 Ballast: **EVG**
 Volt: **220-240va**
 Environment: **Outdoor**
 Cover: **Opal (010) plexiglass**
 Aiming: **Fixed**
 Distribution: **Simmetric**
 Material: **Aluminum**
 Dimensions: **600x80x80mm**
 IP rating: **54**
 Through wiring: **Yes**



Available in these colors





Stone Covers


Lava




Basalt




W1 Outdoor/Wall



F1 Outdoor/Floor



W2 Outdoor/Wall



W1 Indoor/Wall

